GRAFFITI SHIELD INC.

HOLISTIC APPROACH TO GRAFFITI CONTROL

Multi-Layer Anti-Graffiti Film Installation Procedure





See our tool catalog for tool pricing.

www.graffiti-shield.com/product-category/tools/

Multi Layer Installation:

Tools Needed:

Graffiti Shield Multi-Layer Tool Kit

GST-0002 Heavy Duty Squeegee

GST-0026 Blue Squeegee Card

GST-0027 Film Pick

GST-0001 Unger ErgoTec Handle

GST-0004 12" Squeegee Channel w/Black Blade

GST-0022 Spray Bottles (32 oz. chemical resistant)

GST-0019 Film On Concentrate (Installation Solution)

GST-0030 Tool Caddy

GST-0025 Roll 3M Glide Tape

Also recommend micro fiber towels or lint free paper towels.

GRAFFITI SHIELD INC.



Multi Layer Installation:

If existing anti-graffiti or multi-layer film is installed. Do the following to ensure removal is done correctly.

- Take your pick tool, and go to a corner of the material.
- Gently pick up or lift a corner of the film.
- Slowly pull the film off the window to ensure as much or all the adhesive pulls off with the film.



GRAFFITI SHIELD INC.

Multi Layer Installation:

Installation of the Multi Layer is quick and efficient, but it does have some steps we recommend for a flawless installation.

- Fill a standard spray bottle with clean filtered water. Or use a 5 gallon sprayer filled with 4 gallons of clean filtered water.
- Add Film On, 2 capfuls for standard spray bottle or 4 oz. per 4 gallons, and shake well.
- If adhesive is left from previous install, then spray surface with soap and water. Then use 6” Triumph Scraper with SS Blade and slowly scrape adhesive off.
- If no adhesive is on the window then spray the surface with soap and water and scrub the surface with a white scrubby. Then use a 6” Triumph Scraper with SS blades and scrape the glass clean of all debris.
- Wipe the surface by using micro fiber cloth or paper towel. Make sure to wipe the top and sides well.

GRAFFITI SHIELD INC.

Multi-Layer Installation:

- Now spray the glass panel again completely and use your large cleaning squeegee to remove the solution from side to side, and from top to bottom.
- Spray the panel again and leave it wet.
- Next, take your Multi-Layer and remove the release liner. Spray the adhesive with the soap and water solution. Make sure to spray all areas to ensure that all adhesive is wet.

GRAFFITI SHIELD INC.



Multi-Layer Installation:

- Carefully place the Multi-Layer on the panel. Move accordingly into place as needed.
- Then spray the panel with the soap and water solution.
- Squeegee the Multi-Layer with the HD Squeegee pictured below from center out per the arrowed diagram 2 times.
- Dry the edges with gold card wrapped in paper towel or micro fiber towel.
- Then wipe entire panel with micro fiber towel.
- Panel is complete.

GRAFFITI SHIELD INC.